

L Number	Hits	Search Text	DB	Time stamp
1	0	(net same (identif\$3 or select\$3 or determin\$3 or verif\$3 or recogniz\$3 or distinguish\$3) same (user or designer or operator)) and (align\$3 near3 cell) and @pd>=20031017	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/20 08:05
2	7	(net same (identif\$3 or select\$3 or determin\$3 or verif\$3 or recogniz\$3 or distinguish\$3) same (user or designer or operator)) and 716/\$.ccls. and align\$3 and @pd>=20031017	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/20 08:05
3	5	((net and cell) same (identif\$3 or select\$3 or determin\$3 or verif\$3 or recogniz\$3 or distinguish\$3) same (user or designer or operator)) and 716/\$.ccls. and align\$3 and @pd>=20031017	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/20 08:07
-	2	((plac\$3 or placement) near3 tool) same (((select\$3 or determin\$3 or identif\$3) and align\$3) near3 cell)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/24 12:22
-	5	((plac\$3 or placement) near3 tool) same (((select\$3 or determin\$3 or identif\$3) and (align\$3 or arrang\$3 or (lin\$3 adj1 up))) near3 cell)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/25 12:25
-	0	((plac\$3 or placement) near3 tool) same (((select\$3 or determin\$3 or identif\$3) and (align\$3 or arrang\$3 or (lin\$3 adj1 up))) near3 cell) and (HDL near3 tree)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/25 12:22
-	109	((plac\$3 or placement) near3 tool) same database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/25 12:22
-	23	((plac\$3 or placement) near3 tool) same database) and HDL	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/25 12:23
-	216677	((plac\$3 or placement) near3 tool) same database) and celland net	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/25 12:24
-	34	((plac\$3 or placement) near3 tool) same database) and cell and net	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/25 12:25
-	19	((plac\$3 or placement) near3 tool) same database) and cell and net and ((select\$3 or determin\$3 or identif\$3) near3 cell)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/28 07:51
-	1	((plac\$3 or placement) near3 tool) same database) and cell and net and ((select\$3 or determin\$3 or identif\$3) near3 cell) and (source near3 leaf near3 cell)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/28 07:56
-	2	((plac\$3 or placement) near3 tool) same database) and cell and net and ((select\$3 or determin\$3 or identif\$3) near3 cell) and (source near3 cell)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/28 08:11

-	12	((plac\$3 or placement) near3 tool) same database) and (cell near3 (align\$3 or arrang\$3 or lin\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/28 08:23
-	391	((plac\$3 or placement) near3 tool) and (cell near3 (align\$3 or arrang\$3 or lin\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/10 11:05
-	20	((plac\$3 or placement) near3 tool) and (cell near3 (align\$3 or arrang\$3 or lin\$3)) and (leaf near3 cell)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/28 08:34
-	20	((plac\$3 or placement) near3 tool) and (cell near3 (align\$3 or arrang\$3 or lin\$3 or (lin\$3 near3 up))) and (leaf near3 cell)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/28 11:52
-	1	"08789026"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/28 09:35
-	0	08789026.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/28 09:35
-	5	((plac\$3 or placement) near3 tool) and (cell near3 (align\$3 or arrang\$3 or lin\$3 or (lin\$3 near3 up))) and (unplaced near3 cell)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/28 11:02
-	5	((plac\$3 or placement) near3 tool) and (cell near3 (align\$3 or arrang\$3 or lin\$3 or (lin\$3 near3 up))) and ((unplaced or (non near3 placed) or nonplaced or (un near3 placed)) near3 cell)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/28 11:06
-	1	cell near3 align\$3 near3 circuit near3 design	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/28 11:44
-	2	(cell near3 align\$3) near3 (circuit near3 design)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/28 11:45
-	154089	(cell near3 (align\$3 or arrang\$3 or lin\$3 or (lin\$3 near3 up)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/28 12:04
-	826	(cell near3 (align\$3 or arrang\$3 or lin\$3 or (lin\$3 near3 up))) and 716/\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/28 11:56
-	5327	("716").CLAS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/28 11:57

-	781	(( (cell near3 (align\$3 or arrang\$3 or lin\$3 or (lin\$3 near3 up))) ) and ((716/\$).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 07:24
-	101	((((plac\$3 or placement) near3 tool) and (cell near3 (align\$3 or arrang\$3 or lin\$3))) and ((716/\$).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/28 11:58
-	0	((((plac\$3 or placement) near3 tool) and (cell near3 (align\$3 or arrang\$3 or lin\$3))) and ((716/\$).CCLS.)) and (citcuit near3 design)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/28 11:58
-	4526	(( (cell near3 (align\$3 or arrang\$3 or lin\$3 or (lin\$3 near3 up))) ) and (circuit near3 design)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/28 12:00
-	20250	(cell near3 (source or destination or placed or unplaced)) and filter	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/28 12:06
-	13	(cell near3 (source or destination or placed or unplaced)) and filter and (placement near3 tool)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/28 14:47
-	1	"5363313".PN.	USPAT; US-PGPUB	2003/04/28 13:10
-	2	5706295.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/28 14:47
-	2	5712794.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/28 14:48
-	17	(( (cell near3 (align\$3 or arrang\$3 or lin\$3 or (lin\$3 near3 up))) ) and ((716/\$).CCLS.) and ((select\$3 or identif\$3 or determin43) near3 (net and cell)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 13:21
-	632	(( (cell with (align\$3 or arrang\$3 or lin\$3 or (lin\$3 adj1 up))) ) and ((select\$3 or identif\$3 or determin43) with (net and cell)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 13:40
-	0	placement near3 tool	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 13:27
-	2626	placement near3 tool	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 13:28
-	30	(( (cell with (align\$3 or arrang\$3 or lin\$3 or (lin\$3 adj1 up))) ) and ((select\$3 or identif\$3 or determin43) with (net and cell))) and (placement near3 tool)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 13:28

-	1	"5764533".PN.	USPAT; US-PGPUB	2003/04/29 13:33
-	1	"5654898".PN.	USPAT; US-PGPUB	2003/04/29 13:35
-	1	"5416718".PN.	USPAT; US-PGPUB	2003/04/29 13:36
-	68	(cell with align\$3) and ((select\$3 or identif\$3 or determin43) with (net and cell))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 14:33
-	2	(cell with align\$3) and ((select\$3 or identif\$3 or determin43) with (net and cell)) and (placement adj1 tool)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 13:50
-	38	(cell with align\$3) and ((select\$3 or identif\$3 or determin43) with (net and cell)) and placement	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/10 11:00
-	44	(cell with align\$3) and ((select\$3 or identif\$3 or determin43) with (net and cell)) and (horizontal and vertical)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/30 12:19
-	2	5490268.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 15:04
-	2	5491640.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 15:05
-	2	5493508.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/30 09:02
-	4	(cell with align\$3) and ((select\$3 or identif\$3 or determin43) with (net and cell)) and (horizontal and vertical) and (vector\$3 near3 net)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/30 12:30
-	1	(cell with align\$3) and ((select\$3 or identif\$3 or determin43) with (net and cell)) and (horizontal and vertical) and (vector\$3 near3 net) and context	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/30 12:32
-	1	(cell with align\$3) and (((select\$3 or identif\$3 or determin43) with (net and cell)) near3 user) and placement	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/10 11:01
-	26	((plac\$3 or placement) near3 tool) and (cell near3 (align\$3 or arrang\$3 or lin\$3)) and ((user or designer or operator) near3 ((select\$3 or identif\$3 or determin\$3) near3 cell))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/10 11:13
-	4	((plac\$3 or placement) near3 tool) and (cell near3 (align\$3 or arrang\$3 or lin\$3)) and ((user or designer or operator) near3 ((select\$3 or identif\$3 or determin\$3) near3 (net and cell)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/10 12:00

-	13	(cell near3 (align\$3 or arrang\$3 or lin\$3)) and ((user or designer or operator) near3 ((select\$3 or identif\$3 or determin\$3) near3 net))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/10 12:09
-	4	(cell near3 (align\$3 or arrang\$3 or lin\$3)) and ((user or designer or operator) near3 ((select\$3 or identif\$3 or determin\$3) near3 net)) and (source near3 cell)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/10 12:13
-	0	((cell and net) near3 (identif\$3 and select\$3 and align\$4)) near3 (user or designer or operator)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/10 12:15
-	15	((cell and net) near3 (identif\$3 or select\$3 or determin\$3)) near3 (user or designer or operator)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/10 12:18
-	0	((cell and net) near3 (identif\$3 or select\$3 or determin\$3)) near3 (user or designer or operator) and (align\$4 near3 sell)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/10 12:18
-	0	((cell and net) near3 (identif\$3 or select\$3 or determin\$3)) near3 (user or designer or operator) and (align\$4 near3 cell)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/10 12:19
-	6	((cell and net) near3 (identif\$3 or select\$3 or determin\$3)) near3 (user or designer or operator) and align\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/20 13:19
-	15	((cell and net) near3 (identif\$3 or select\$3 or determin\$3)) near3 (user or designer or operator)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/20 13:22
-	3858	net same (identif\$3 or select\$3 or determin\$3 or verif\$3 or recogniz\$3 or distinguish\$3) same (user or designer or operator)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/20 13:25
-	426	(net same (identif\$3 or select\$3 or determin\$3 or verif\$3 or recogniz\$3 or distinguish\$3) same (user or designer or operator)) and 716/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/20 13:25
-	156	((net and cell) same (identif\$3 or select\$3 or determin\$3 or verif\$3 or recogniz\$3 or distinguish\$3) same (user or designer or operator)) and 716/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/20 13:26
-	42	((net and cell) same (identif\$3 or select\$3 or determin\$3 or verif\$3 or recogniz\$3 or distinguish\$3) same (user or designer or operator)) and 716/\$.ccls. and align\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/20 08:07
-	54	(net same (identif\$3 or select\$3 or determin\$3 or verif\$3 or recogniz\$3 or distinguish\$3) same (user or designer or operator)) and 716/\$.ccls. and align\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/20 08:05

-	35	(net same (identif\$3 or select\$3 or determin\$3 or verif\$3 or recogniz\$3 or distinguish\$3) same (user or designer or operator)) and (align\$3 near3 cell)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/20 08:03
---	----	--	---	------------------